



Shanghai Green Tech Co.,Ltd.

GT CAP



Table2 Rated Voltage,derated voltage, capacitance, case code and dissipation factor

Rated Volatge $U_R(V)$	Derated Voltage $U_C(V)$	Case code	Cap. $C_R(\mu F)$	$tg\delta(\%)$ DF 25	Rated Voltage $U_R(V)$	Derated Voltage $U_C(V)$	Case code	Cap. $C_R(\mu F)$	$tg\delta(\%)$ DF 25
25 ,85	125 200				25 ,85	125 200			



Shanghai Green Tech Co.,Ltd.



How to order

(Part No.: GTCA53D 477 K 0255)

GT	CA53D	477	K	025	5
Brand Name	Type	Capacitance	Tolerance	Rated voltage /DC	Case code

477 47X10⁷(pF)This is
Silver case
Green hi-temp. Wet
Tech Tantalum
Capacitor

Notes

- 1 Tantalum capacitors can't been measured by multimeter (Easily cause irreversible damage and lead to reject)
- 2 Capacitance, DF measure frequency: 100Hz $U_{-}=2.2_{-1.0}^0V$ $U_{-}=1.0_{-0.5}^0V$ (effective value)
- 3 Measure leakage current above 85 ,please use derated voltage.
- 4 Special size and big capacitance products, please negotiate with us